Journal of Applied Ecology 2003
40, 1112–1117

Index

SPECIAL PROFILE: CURRENT ISSUES WITH FISH AND FISHERIES

Dannewitz, J., Petersson, E., Prestegaard, T. & Järvi, T. Effects of sea-ranching and family background on fitness traits in brown trout *Salmo trutta* reared under near-natural conditions, 241

Gremillet, D., Wright, G., Lauder, A., Carss, D.N. & Wanless, S. Modelling the daily food requirements of wintering great cormorants: a bioenergetics tool for wildlife management, 266

Ormerod, S.J. Current issues with fish and fisheries: editor's overview and introduction, 204

Pretty, J.L., Harrison, S.S.C., Shepherd, D.J., Smith, C., Hildrew, A.G. & Hey, R.D. River rehabilitation and fish populations: assessing the benefit of instream structures, 251

Sundbom, M., Meili, M., Andersson, E., Östlund, M. & Broberg, A. Long-term dynamics of Chernobyl ^{137}Cs in freshwater fish: quantifying the effect of body size and trophic level, 228

Willis, T.J., Millar, R.B. & Babcock, R.C. Protection of exploited fish in temperate regions: high density and biomass of snapper *Pagrus auratus* (Sparidae) in northern New Zealand marine reserves, 214

SPECIAL PROFILE: MEETING THE ECOLOGICAL CHALLENGES OF AGRICULTURAL CHANGE

Clément, J.-C., Holmes, R.M., Peterson, B.J. & Pinay, G. Isotopic investigation of denitrification in a riparian ecosystem in western France, 1035

Hutton, S.A. & Giller, P.S. The effects of the intensification of agriculture on northern temperate dung beetle communities, 994

Kleijn, D. & Sutherland, W.J. How effective are European agri-environment schemes in conserving and promoting biodiversity?, 947

Landsberg, J., James, C.D., Morton, S.R., Müller, W.J. & Stol, J. Abundance and composition of plant species along grazing gradients in Australian rangelands, 1008

Middleton, B.A. Soil seed banks and the potential restoration of forested wetlands after farming, 1025

Ormerod, S.J., Marshall, E.J.P., Kerby, G. & Rushton, S.P. Meeting the ecological challenges of agricultural change: editors' introduction, 939

Stephens, P.A., Freckleton, R.P., Watkinson, A.R. & Sutherland, W.J. Predicting the response of farmland bird populations to changing food supplies, 970

Wickramasinghe, L.P., Harris, S., Jones, G. & Vaughan, N. Bat activity and species richness on organic and conventional farms: impact of agricultural intensification, 984

SPECIAL PROFILE: RESTORATION IN APPLIED ECOLOGY

Campbell, D.R., Rochefort, L. & Lavoie, C. Determining the immigration potential of plants colonizing disturbed environments: the case of milled peatlands in Quebec, 78

Korb, J.E., Johnson, N.C. & Covington, W.W. Arbuscular mycorrhizal propagule densities respond rapidly to ponderosa pine restoration treatments, 101

Ormerod, S.J. Restoration in applied ecology: editor's introduction, 44

Pywell, R.F., Bullock, J.M., Roy, D.B., Warman, L., Walker, K.J. & Rothery, P. Plant traits as predictors of performance in ecological restoration, 65

Seabloom, E.W. & van der Valk, A.G. The development of vegetative zonation patterns in restored prairie pothole wetlands, 92

Smith, R.S., Shiel, R.S., Bardgett, R.D., Millward, D., Corkhill, P., Rolph, G., Hobbs, P.J. & Peacock, S. Soil microbial community, fertility, vegetation and diversity as targets in the restoration management of a meadow grassland, 51

TENTH BES LECTURE

Campbell, A.K. Save those molecules! Molecular biodiversity and life, 193

ELEVENTH BES LECTURE

Dalton, H. & Brand-Hardy, R. Nitrogen: the essential public enemy, 771

ESSAY REVIEW

Briske, D.D., Fuhlendorf, S.D. & Smeins, F.E. Vegetation dynamics on rangelands: a critique of the current paradigms, 601

METHODOLOGICAL INSIGHTS

Firbank, L.G., Heard, M.S., Woiwod, I.P., Hawes, C., Haughton, A.J., Champion, G.T., Scott, R.J., Hill, M.O., Dewar, A.M., Squire, G.R., May, M.J., Brooks, D.R., Bohan, D.A., Daniels, R.E., Osborne, J.L., Roy, D.B., Black, H.I.J., Rothery, P. & Perry, J.N. An introduction to the Farm-Scale Evaluations of genetically modified herbicide-tolerant crops, 2

Holloway, G.J., Griffiths, G.H. & Richardson, P. Conservation strategy maps: a tool to facilitate biodiversity action planning illustrated using the heath fritillary butterfly, 413

Laing, S.E., Buckland, S.T., Burn, R.W., Lambie, D. & Amphlett, A. Dung and nest surveys: estimating decay rates, 1102

© 2003 British Ecological Society

Journal of Applied Ecology 2003
40, 1112–1117

Index

SPECIAL PROFILE: CURRENT ISSUES WITH FISH AND FISHERIES

Dannewitz, J., Petersson, E., Prestegaard, T. & Järvi, T. Effects of sea-ranching and family background on fitness traits in brown trout *Salmo trutta* reared under near-natural conditions, 241

Gremillet, D., Wright, G., Lauder, A., Carss, D.N. & Wanless, S. Modelling the daily food requirements of wintering great cormorants: a bioenergetics tool for wildlife management, 266

Ormerod, S.J. Current issues with fish and fisheries: editor's overview and introduction, 204

Pretty, J.L., Harrison, S.S.C., Shepherd, D.J., Smith, C., Hildrew, A.G. & Hey, R.D. River rehabilitation and fish populations: assessing the benefit of instream structures, 251

Sundbom, M., Meili, M., Andersson, E., Östlund, M. & Broberg, A. Long-term dynamics of Chernobyl ^{137}Cs in freshwater fish: quantifying the effect of body size and trophic level, 228

Willis, T.J., Millar, R.B. & Babcock, R.C. Protection of exploited fish in temperate regions: high density and biomass of snapper *Pagrus auratus* (Sparidae) in northern New Zealand marine reserves, 214

SPECIAL PROFILE: MEETING THE ECOLOGICAL CHALLENGES OF AGRICULTURAL CHANGE

Clément, J.-C., Holmes, R.M., Peterson, B.J. & Pinay, G. Isotopic investigation of denitrification in a riparian ecosystem in western France, 1035

Hutton, S.A. & Giller, P.S. The effects of the intensification of agriculture on northern temperate dung beetle communities, 994

Kleijn, D. & Sutherland, W.J. How effective are European agri-environment schemes in conserving and promoting biodiversity?, 947

Landsberg, J., James, C.D., Morton, S.R., Müller, W.J. & Stol, J. Abundance and composition of plant species along grazing gradients in Australian rangelands, 1008

Middleton, B.A. Soil seed banks and the potential restoration of forested wetlands after farming, 1025

Ormerod, S.J., Marshall, E.J.P., Kerby, G. & Rushton, S.P. Meeting the ecological challenges of agricultural change: editors' introduction, 939

Stephens, P.A., Freckleton, R.P., Watkinson, A.R. & Sutherland, W.J. Predicting the response of farmland bird populations to changing food supplies, 970

Wickramasinghe, L.P., Harris, S., Jones, G. & Vaughan, N. Bat activity and species richness on organic and conventional farms: impact of agricultural intensification, 984

SPECIAL PROFILE: RESTORATION IN APPLIED ECOLOGY

Campbell, D.R., Rochefort, L. & Lavoie, C. Determining the immigration potential of plants colonizing disturbed environments: the case of milled peatlands in Quebec, 78

Korb, J.E., Johnson, N.C. & Covington, W.W. Arbuscular mycorrhizal propagule densities respond rapidly to ponderosa pine restoration treatments, 101

Ormerod, S.J. Restoration in applied ecology: editor's introduction, 44

Pywell, R.F., Bullock, J.M., Roy, D.B., Warman, L., Walker, K.J. & Rothery, P. Plant traits as predictors of performance in ecological restoration, 65

Seabloom, E.W. & van der Valk, A.G. The development of vegetative zonation patterns in restored prairie pothole wetlands, 92

Smith, R.S., Shiel, R.S., Bardgett, R.D., Millward, D., Corkhill, P., Rolph, G., Hobbs, P.J. & Peacock, S. Soil microbial community, fertility, vegetation and diversity as targets in the restoration management of a meadow grassland, 51

TENTH BES LECTURE

Campbell, A.K. Save those molecules! Molecular biodiversity and life, 193

ELEVENTH BES LECTURE

Dalton, H. & Brand-Hardy, R. Nitrogen: the essential public enemy, 771

ESSAY REVIEW

Briske, D.D., Fuhlendorf, S.D. & Smeins, F.E. Vegetation dynamics on rangelands: a critique of the current paradigms, 601

METHODOLOGICAL INSIGHTS

Firbank, L.G., Heard, M.S., Woiwod, I.P., Hawes, C., Haughton, A.J., Champion, G.T., Scott, R.J., Hill, M.O., Dewar, A.M., Squire, G.R., May, M.J., Brooks, D.R., Bohan, D.A., Daniels, R.E., Osborne, J.L., Roy, D.B., Black, H.I.J., Rothery, P. & Perry, J.N. An introduction to the Farm-Scale Evaluations of genetically modified herbicide-tolerant crops, 2

Holloway, G.J., Griffiths, G.H. & Richardson, P. Conservation strategy maps: a tool to facilitate biodiversity action planning illustrated using the heath fritillary butterfly, 413

Laing, S.E., Buckland, S.T., Burn, R.W., Lambie, D. & Amphlett, A. Dung and nest surveys: estimating decay rates, 1102

© 2003 British Ecological Society

Perry, J.N., Rothery, P., Clark, S.J., Heard, M.S. & Hawes, C. Design, analysis and statistical power of the Farm-Scale Evaluations of genetically modified herbicide-tolerant crops, 17

Read, J.M., Clark, D.B., Venticinque, E.M. & Moreira, M.P. Application of merged 1-m and 4-m resolution satellite data to research and management in tropical forests, 592

Ruette, S., Stahl, P. & Albaret, M. Applying distance-sampling methods to spotlight counts of red foxes, 32

Sinclair, C. & Hoffmann, A.A. Monitoring salt stress in grapevines: are measures of plant trait variability useful?, 928

STANDARD PAPERS

Adkins, S.W. *see* **Kriticos, D.J.**

Ainley, D.G. *see* **Clarke, E.D.**

Albaret, M. *see* **Ruette, S.**

Alonzo, S.H., Switzer, P.V. & Mangel, M. An ecosystem-based approach to management: using individual behaviour to predict the indirect effects of Antarctic krill fisheries on penguin foraging, 692

Amphlett, A. *see* **Laing, S.E.**

Andersson, E. *see* **Sundbom, M.**

Aradottir, A.L. *see* **Elmarsdottir, A.**

Ash, J.E. *see* **Willis, A.J.**

Atkinson, D. *see* **Moss, B.**

Atkinson, P.W. *see* **Stillman, R.A.**

Augustine, D.J. Long-term, livestock-mediated redistribution of nitrogen and phosphorus in an East African savanna, 137

Babcock, R.C. *see* **Willis, T.J.**

Baguette, M. & Schtickzelle, N. Local population dynamics are important to the conservation of metapopulations in highly fragmented landscapes, 404

Barclay, R.M.R. *see* **Patriquin, K.J.**

Bardgett, R.D. *see* **Smith, R.S.**

Béchet, A., Giroux, J.-F., Gauthier, G., Nichols, J.D. & Hines, J.E. Spring hunting changes the regional movements of migrating greater snow geese, 553

Bell, M.C. *see* **Stillman, R.A.**

Benedick, S. *see* **Hamer, K.C.**

Berentson, P.R. *see* **Willis, A.J.**

Bignell, D.E. *see* **Jones, D.T.**

Black, H.I.J. *see* **Firbank, L.G.**

Bobbink, R. *see* **Dorland, E.**

Bohan, D.A. *see* **Firbank, L.G.**

Borchers, D.L. *see* **Clarke, E.D.**

Bovi, M.L.A. *see* **Freckleton, R.P.**

Bradshaw, C.J.A. *see* **Hindell, M.A.**

Brain, P. *see* **Thomas, C.F.G.**

Brand-Hardy, R. *see* **Dalton, H.**

Bray, Y. *see* **Marboutin, E.**

Briese, D.T. *see* **Buckley, Y.M.**

Broberg, A. *see* **Sundbom, M.**

Broekhuizen, N., Stahl, J.C. & Sagar, P.M. Simulating the distribution of southern Buller's albatross using an individual-based population model, 678

Brooks, D.R. *see* **Firbank, L.G.**

Brooks, M.L. Effects of increased soil nitrogen on the dominance of alien annual plants in the Mojave Desert, 344

Brown, J.R. *see* **Kriticos, D.J.**

Buckland, S.T. *see* **Clarke, E.D.**

Buckland, S.T. *see* **Laing, S.E.**

Buckley, Y.M., Briese, D.T. & Rees, M. Demography and management of the invasive plant species *Hypericum perforatum*. I. Using multi-level mixed-effects models for characterizing growth, survival and fecundity in a long-term data set, 481

Buckley, Y.M., Briese, D.T. & Rees, M. Demography and management of the invasive plant species *Hypericum perforatum*. II. Construction and use of an individual-based model to predict population dynamics and the effects of management strategies, 494

Bull, J.P. *see* **Kiffney, P.M.**

Bullock, J.M. *see* **Pywell, R.F.**

Burger, M. *see* **Fabricius, C.**

Burke, T.A. *see* **Wilson, G.J.**

Burn, R.W. *see* **Laing, S.E.**

Burston, S. *see* **Grundy, A.C.**

Burton, H.R. *see* **Hindell, M.A.**

Caldow, R.W.G. *see* **Goss-Custard, J.D.**

Caldow, R.W.G. *see* **Stillman, R.A.**

Canale, D.M. *see* **Cecere, M.C.**

Carss, D.N. *see* **Gremillet, D.**

Cecere, M.C., Canale, D.M. & Gürtler, R.E. Effects of refuge availability on the population dynamics of *Triatoma infestans* in central Argentina, 742

Champion, G.T. *see* **Firbank, L.G.**

Cheeseman, C.L. *see* **Wilson, G.J.**

Chey, V.K. *see* **Hamer, K.C.**

Clark, D.B. *see* **Read, J.M.**

Clark, N.A. *see* **Stillman, R.A.**

Clark, S.J. *see* **Perry, J.N.**

Clarke, E.D., Spear, L.B., McCracken, M.L., Marques, F.F.C., Borchers, D.L., Buckland, S.T. & Ainley, D.G. Validating the use of generalized additive models and at-sea surveys to estimate size and temporal trends of seabird populations, 278

Cochard, R. *see* **Tobler, M.W.**

Coleman, A.E. *see* **Watola, G.V.**

Coleman, J.T. *see* **Watola, G.V.**

Collings, S.E. *see* **Moss, B.**

Corkhill, P. *see* **Smith, R.S.**

Covington, W.W. *see* **Korb, J.E.**

Cowlishaw, G. *see* **Rowcliffe, J.M.**

Daniels, R.E. *see* **Firbank, L.G.**

Dare, P.J. *see* **Stillman, R.A.**

Day, K.J. *see* **Purse, B.V.**

Delahay, R.J. *see* **Wilson, G.J.**

Dewar, A.M. *see* **Firbank, L.G.**

© 2003 British Ecological Society,

Dewhurst, C.F. *see* **Peveling, R.**
Dexter, N. Stochastic models of foot and mouth disease in feral pigs in the Australian semi-arid rangelands, 293
Dorland, E., Bobbink, R., Messelink, J.H. & Verhoeven, J.T.A. Soil ammonium accumulation after sod cutting hampers the restoration of degraded wet heathlands, 804
Downey, P.O. *see* **Paynter, Q.**
le Duc, M.G., Pakeman, R.J. & Marrs, R.H. Changes in the rhizome system of bracken subjected to long-term experimental treatment, 508
Durell, S.E.A. le V. dit *see* **Stillman, R.A.**

Eaton, J.W. *see* **Moss, B.**
Edwards, P.J. *see* **Tobler, M.W.**
Eggleton, P. *see* **Jones, D.T.**
Elderd, B. *see* **Wilcox, C.**
Elmarsdottir, A., Aradottir, A.L. & Trlica, M.J. Microsite availability and establishment of native species on degraded and reclaimed sites, 815
Elston, D.A. *see* **Finney, S.K.**
Elston, D.A. *see* **Rao, S.J.**

Fabricius, C., Burger, M. & Hockey, P.A.R. Comparing biodiversity between protected areas and adjacent rangeland in xeric succulent thicket, South Africa: arthropods and reptiles, 392
Finney, S.K., Harris, M.P., Keller, L.F., Elston, D.A., Monaghan, P. & Wanless, S. Reducing the density of breeding gulls influences the pattern of recruitment of immature Atlantic puffins *Fratercula arctica* to a breeding colony, 545
Fitzgerald, H. *see* **Pietrzykowski, E.**
Forrester, G.J. *see* **Watola, G.V.**
Frantz, A.C. *see* **Wilson, G.J.**
Freckleton, R.P. *see* **Stephens, P.A.**
Freckleton, R.P., Matos, D.M.S., Bovi, M.L.A. & Watkinson, A.R. Predicting the impacts of harvesting using structured population models: the importance of density-dependence and timing of harvest for a tropical palm tree, 846
Fuhlendorf, S.D. *see* **Briske, D.D.**

Gardner, S.M. *see* **Hartley, S.E.**
Gauthier, G. *see* **Béchet, A.**
Georgiadis, N., Hack, M. & Turpin, K. The influence of rainfall on zebra population dynamics: implications for management, 125
Gibson, G. *see* **Peveling, R.**
Gill, A.B. *see* **Moss, B.**
Giller, P.S. *see* **Hutton, S.A.**
Gillison, A.N. *see* **Jones, D.T.**
Giroux, J.-F. *see* **Béchet, A.**
Goss-Custard, J.D. *see* **Stillman, R.A.**
Goss-Custard, J.D., Stillman, R.A., Caldow, R.W.G., West, A.D. & Guillemain, M. Carrying capacity in overwintering birds: when are spatial models needed?, 176
Goodwin, A.N. *see* **Pietrzykowski, E.**
Goulding, M.J. *see* **Watola, G.V.**
Griffiths, G.H. *see* **Holloway, G.J.**
Grundy, A.C., Mead, A. & Burston, S. Modelling the emergence response of weed seeds to burial depth: interactions with seed density, weight and shape, 757
Guillemain, M. *see* **Goss-Custard, J.D.**
Gürtler, R.E. *see* **Cecere, M.C.**
Gust, N. *see* **Inglis, G.J.**

Hack, M. *see* **Georgiadis, N.**
Hamer, K.C., Hill, J.K., Benedick, S., Mustaffa, N., Sherratt, T.N., Maryati, M. & Chey, V.K. Ecology of butterflies in natural and selectively logged forests of northern Borneo: the importance of habitat heterogeneity, 150
Hansen, L.P. *see* **Jonsson, N.**
Hardiwinoto, S. *see* **Jones, D.T.**
Harris, M.P. *see* **Finney, S.K.**
Harris, S. *see* **Vaughan, N.**
Harris, S. *see* **Wickramasinghe, L.P.**
Harrison, S.S.C. *see* **Pretty, J.L.**
Hartley, S.E., Gardner, S.M. & Mitchell, R.J. Indirect effects of grazing and nutrient addition on the hemipteran community of heather moorlands, 793
Harvey, I. *see* **Moss, B.**
Hatton, K. *see* **Moss, B.**
Haughton, A.J. *see* **Firbank, L.G.**
Hawes, C. *see* **Firbank, L.G.**
Hawes, C. *see* **Perry, J.N.**
Heard, K.M. *see* **McIntyre, S.**
Heard, M.S. *see* **Firbank, L.G.**
Heard, M.S. *see* **Perry, J.N.**
Hey, R.D. *see* **Pretty, J.L.**
Heyes, T. *see* **Moss, B.**
Hildrew, A.G. *see* **Pretty, J.L.**
Hill, J.K. *see* **Hamer, K.C.**
Hill, M.O. *see* **Firbank, L.G.**
Hindell, M.A., Bradshaw, C.J.A., Sumner, M.D., Michael, K.J. & Burton, H.R. Dispersal of female southern elephant seals and their prey consumption during the austral summer: relevance to management and oceanographic zones, 703
Hines, J.E. *see* **Béchet, A.**
Hirst, R.A., Pywell, R.F., Marrs, R.H. & Putwain, P.D. The resistance of a chalk grassland to disturbance, 368
Hobbs, P.J. *see* **Smith, R.S.**
Hockey, P.A.R. *see* **Fabricius, C.**
Hoffman, M.T. *see* **Riginos, C.**
Hoffmann, A.A. *see* **Sinclair, C.**
Holmes, R.M. *see* **Clément, J.-C.**
Holst, N. & Meikle, W.G. *Teretrius nigrescens* against larger grain borer *Prostephanus truncatus* in African maize stores: biological control at work?, 307
Hooper, H.L., Sibly, R.M., Maund, S.J. & Hutchinson, T.H. The joint effects of larval density and ^{14}C-cypermethrin on the life history and population growth rate of the midge *Chironomus riparius*, 1049
Hopkins, G.W. *see* **Purse, B.V.**

© 2003 British Ecological Society,

Howe, H.F. *see* **Martínez-Garza, C.**
Hulbert, I.A.R. *see* **Rao, S.J.**
Hutchinson, T.H. *see* **Hooper, H.L.**

Iason, G.R. *see* **Rao, S.J.**
Inglis, G.J. & Gust, N. Potential indirect effects of shellfish culture on the reproductive success of benthic predators, 1077

James, C.D. *see* **Landsberg, J.**
Järvi, T. *see* **Dannewitz, J.**
Jepson, P.C. *see* **Thomas, C.F.G.**
Johnson, N.C. *see* **Korb, J.E.**
Jones, D.T., Susilo, F.X., Bignell, D.E., Hardiwinoto, S., Gillison, A.N. & Eggleton, P. Termite assemblage collapse along a land-use intensification gradient in lowland central Sumatra, Indonesia, 380
Jones, G. *see* **Wickramasinghe, L.P.**
Jonsson, B. *see* **Jonsson, N.**
Jonsson, N., Jonsson, B. & Hansen, L.P. The marine survival and growth of wild and hatchery-reared Atlantic salmon, 900

Keller, L.F. *see* **Finney, S.K.**
Kerby, G. *see* **Ormerod, S.**
Kerby, G. *see* **Ormerod, S.J.**
Kiffney, P.M., Richardson, J.S. & Bull, J.P. Responses of periphyton and insects to experimental manipulation of riparian buffer width along forest streams, 1060
Klein, A.-M., Steffan-Dewenter, I. & Tscharntke, T. Pollination *of Coffea canephora* in relation to local and regional agroforestry management, 837
Kluth, S., Kruess, A. & Tscharntke, T. Influence of mechanical cutting and pathogen application on the performance and nutrient storage of *Cirsium arvense*, 334
Kriticos, D.J., Sutherst, R.W., Brown, J.R., Adkins, S.W. & Maywald, G.F. Climate change and the potential distribution of an invasive alien plant: *Acacia nilotica* ssp. *indica* in Australia, 111
Kropff, M.J. *see* **Westerman, P.R.**
Kruess, A. *see* **Kluth, S.**

Lambie, D. *see* **Laing, S.E.**
Lartiges, A. *see* **Marboutin, E.**
Lauder, A. *see* **Gremillet, D.**
Lavoie, C. *see* **Campbell, D.R.**
Leader-Williams, N. *see* **Sitati, N.W.**
Long, J. *see* **Rowcliffe, J.M.**
Lucas, E.-A. *see* **Vaughan, N.**
Lusk, C.H. & Ortega, A. Vertical structure and basal area development in second-growth *Nothofagus* stands in Chile, 639
Mander, M. *see* **Stillman, R.A.**
Mangel, M. *see* **Alonzo, S.H.**
Marboutin, E., Bray, Y., Péroux, R., Mauvy, B. & Lartiges, A. Population dynamics in European hare: breeding parameters and sustainable harvest rates, 580
Marques, F.F.C. *see* **Clarke, E.D.**
Marrs, R.H. *see* **le Duc, M.G.**
Marrs, R.H. *see* **Hirst, R.A.**
Marshall, E.J.P. *see* **Ormerod, S.J.**
Marshall, J. *see* **Ormerod, S.**
Martin, T.G. *see* **McIntyre, S.**
Maryati, M. *see* **Hamer, K.C.**
Matos, D.M.S. *see* **Freckleton, R.P.**
Maund, S.J. *see* **Hooper, H.L.**
Mauvy, B. *see* **Marboutin, E.**
May, M.J. *see* **Firbank, L.G.**
Maywald, G.F. *see* **Kriticos, D.J.**
McArthur, C. *see* **Pietrzykowski, E.**
McCracken, M.L. *see* **Clarke, E.D.**
McCulloch, N. *see* **Norris, K.**
McGrorty, S. *see* **Stillman, R.A.**
McIntyre, S., Heard, K.M. & Martin, T.G. The relative importance of cattle grazing in subtropical grasslands: does it reduce or enhance plant biodiversity?, 445
McKee, D. *see* **Moss, B.**
McNeil, P. & Waddington, J.M. Moisture controls on *Sphagnum* growth and CO_2 exchange on a cutover bog, 354
McWilliam, A.N. *see* **Peveling, R.**
Mead, A. *see* **Grundy, A.C.**
Meikle, W.G. *see* **Holst, N.**
Meili, M. *see* **Sundbom, M.**
Messelink, J.H. *see* **Dorland, E.**
Metcalfe, N.B., Valdimarsson, S.K. & Morgan, I.J. The relative roles of domestication, rearing environment, prior residence and body size in deciding territorial contests between hatchery and wild juvenile salmon, 535
Michael, K.J. *see* **Hindell, M.A.**
Millar, R.B. *see* **Willis, T.J.**
Millward, D. *see* **Smith, R.S.**
Milsom, T.P. *see* **Watola, G.V.**
Mitchell, R.J. *see* **Hartley, S.E.**
Monaghan, P. *see* **Finney, S.K.**
Moreira, M.P. *see* **Read, J.M.**
Morgan, I.J. *see* **Metcalfe, N.B.**
Morton, S.R. *see* **Landsberg, J.**
Moss, B., McKee, D., Atkinson, D., Collings, S.E., Eaton, J.W., Gill, A.B., Harvey, I., Hatton, K., Heyes, T. & Wilson, D. How important is climate? Effects of warming, nutrient addition and fish on phytoplankton in shallow lake microcosms, 782
Müller, W.J. *see* **Landsberg, J.**
Mustaffa, N. *see* **Hamer, K.C.**

Nagel, P. *see* **Peveling, R.**
Nichols, J.D. *see* **Béchet, A.**
Norris, K. & McCulloch, N. Demographic models and the management of endangered species: a case study of the critically endangered Seychelles magpie robin, 890

Ortega, A. *see* **Lusk, C.H.**
Osborne, J.L. *see* **Firbank, L.G.**
Östlund, M. *see* **Sundbom, M.**

© 2003 British Ecological Society,

Pakeman, R.J. *see* **le Duc, M.G.**
Patriquin, K.J. & Barclay, R.M.R. Foraging by bats in cleared, thinned and unharvested boreal forest, 646
Paynter, Q., Downey, P.O. & Sheppard, A.W. Age structure and growth of the woody legume weed *Cytisus scoparius* in native and exotic habitats: implications for control, 470
Peacock, S. *see* **Smith, R.S.**
Péroux, R. *see* **Marboutin, E.**
Perry, J.N. *see* **Firbank, L.G.**
Peterson, B.J. *see* **Clément, J.-C.**
Petersson, E. *see* **Dannewitz, J.**
Peveling, R., McWilliam, A.N., Nagel, P., Rasolomanana, H., Raholijaona, Rakotomianina, L., Ravoninjatovo, A., Dewhurst, C.F., Gibson, G., Rafanomezana, S. & Tingle, C.C.D. Impact of locust control on harvester termites and endemic vertebrate predators in Madagascar, 729
Pietrzykowski, E., McArthur, C., Fitzgerald, H. & Goodwin, A.N. Influence of patch characteristics on browsing of tree seedlings by mammalian herbivores, 458
Pinay, G. *see* **Clément, J.-C.**
Pope, L.C. *see* **Wilson, G.J.**
Prestegaard, T. *see* **Dannewitz, J.**
Purse, B.V., Hopkins, G.W., Day, K.J. & Thompson, D.J. Dispersal characteristics and management of a rare damselfly, 716
Putwain, P.D. *see* **Hirst, R.A.**
Pywell, R.F. *see* **Hirst, R.A.**

Racey, P.A. *see* **Rao, S.J.**
Rafanomezana, S. *see* **Peveling, R.**
Raholijaona, *see* **Peveling, R.**
Rakotomianina, L. *see* **Peveling, R.**
Rao, S.J., Iason, G.R., Hulbert, I.A.R., Elston, D.A. & Racey, P.A. The effect of sapling density, heather height and season on browsing by mountain hares on birch, 626
Rasolomanana, H. *see* **Peveling, R.**
Ravoninjatovo, A. *see* **Peveling, R.**
Raynal, D.J. *see* **Tessier, J.T.**
Rees, M. *see* **Buckley, Y.M.**
Richardson, J.S. *see* **Kiffney, P.M.**
Richardson, P. *see* **Holloway, G.J.**
Riginos, C. & Hoffman, M.T. Changes in population biology of two succulent shrubs along a grazing gradient, 615
Robinson, K.A. *see* **Watola, G.V.**
Rochefort, L. *see* **Campbell, D.R.**
Rolph, G. *see* **Smith, R.S.**
Roper, T.J. *see* **Wilson, G.J.**
Rothery, P. *see* **Firbank, L.G.**
Rothery, P. *see* **Perry, J.N.**
Rothery, P. *see* **Pywell, R.F.**
Rowcliffe, J.M., Cowlishaw, G. & Long, J. A model of human hunting impacts in multi-prey communities, 872
Roy, D.B. *see* **Firbank, L.G.**
Roy, D.B. *see* **Pywell, R.F.**
Rushton, S. *see* **Ormerod, S.**
Rushton, S.P. *see* **Ormerod, S.J.**

Sagar, P.M. *see* **Broekhuizen, N.**
Schtickzelle, N. *see* **Baguette, M.**
Scott, R.J. *see* **Firbank, L.G.**
Shepherd, D.J. *see* **Pretty, J.L.**
Sheppard, A.W. *see* **Paynter, Q.**
Sherratt, T.N. *see* **Hamer, K.C.**
Shiel, R.S. *see* **Smith, R.S.**
Sibly, R.M. *see* **Hooper, H.L.**
Sitati, N.W., Walpole, M.J., Smith, R.J. & Leader-Williams, N. Predicting spatial aspects of human–elephant conflict, 667
Smeins, F.E. *see* **Briske, D.D.**
Smith, C. *see* **Pretty, J.L.**
Smith, G.C. *see* **Watola, G.V.**
Smith, R.J. *see* **Sitati, N.W.**
Spear, L.B. *see* **Clarke, E.D.**
Squire, G.R. *see* **Firbank, L.G.**
Stahl, J.C. *see* **Broekhuizen, N.**
Stahl, P. *see* **Ruette, S.**
Steffan-Dewenter, I. *see* **Klein, A.-M.**
Stillman, R.A. *see* **Goss-Custard, J.D.**
Stillman, R.A., West, A.D., Goss-Custard, J.D., Caldow, R.W.G., McGrorty, S., le V. dit Durell, S.E.A., Yates, M.G., Atkinson, P.W., Clark, N.A., Bell, M.C., Dare, P.J. & Mander, M. An individual behaviour-based model can predict shorebird mortality using routinely collected shellfishery data, 1090
Stol, J. *see* **Landsberg, J.**
Stone, D.A. *see* **Watola, G.V.**
Sumner, M.D. *see* **Hindell, M.A.**
Susilo, F.X. *see* **Jones, D.T.**
Sutherland, W.J. *see* **Kleijn, D.**
Sutherland, W.J. *see* **Stephens, P.A.**
Sutherst, R.W. *see* **Kriticos, D.J.**
Switzer, P.V. *see* **Alonzo, S.H.**
Tessier, J.T. & Raynal, D.J. Use of nitrogen to phosphorus ratios in plant tissue as an indicator of nutrient limitation and nitrogen saturation, 523
Thomas, C.F.G., Brain, P. & Jepson, P.C. Aerial activity of linyphiid spiders: modelling dispersal distances from meteorology and behaviour, 912
Thompson, D.J. *see* **Purse, B.V.**
Tingle, C.C.D. *see* **Peveling, R.**
Tobler, M.W., Cochard, R. & Edwards, P.J. The impact of cattle ranching on large-scale vegetation patterns in a coastal savanna in Tanzania, 430
Tscharntke, T. *see* **Klein, A.-M.**
Tscharntke, T. *see* **Kluth, S.**
Trlica, M.J. *see* **Elmarsdottir, A.**
Turpin, K. *see* **Georgiadis, N.**

Valdimarsson, S.K. *see* **Metcalfe, N.B.**
van der Valk, A.G. *see* **Seabloom, E.W.**
Vaughan, N. *see* **Wickramasinghe, L.P.**

© 2003 British Ecological Society,

Vaughan, N., Lucas, E.-A., Harris, S. & White, P.C.L. Habitat associations of European hares *Lepus europaeus* in England and Wales: implications for farmland management, 163
Venticinque, E.M. *see* **Read, J.M.**
Verhoeven, J.T.A. *see* **Dorland, E.**

Waddington, J.M. *see* **McNeil, P.**
Walker, K.J. *see* **Pywell, R.F.**
Walpole, M.J. *see* **Sitati, N.W.**
Wanless, S. *see* **Finney, S.K.**
Wanless, S. *see* **Gremillet, D.**
Warman, L. *see* **Pywell, R.F.**
Watkinson, A.R. *see* **Freckleton, R.P.**
Watkinson, A.R. *see* **Stephens, P.A.**
Watola, G.V., Stone, D.A., Smith, G.C., Forrester, G.J., Coleman, A.E., Coleman, J.T., Goulding, M.J., Robinson, K.A. & Milsom, T.P. Analyses of two mute swan populations and the effects of clutch reduction: implications for population management, 565
van der Werf, W. *see* **Westerman, P.R.**
Wes, J.S. *see* **Westerman, P.R.**
West, A.D. *see* **Goss-Custard, J.D.**
West, A.D. *see* **Stillman, R.A.**
Westerman, P.R., Wes, J.S., Kropff, M.J. & van der Werf, W. Annual losses of weed seeds due to predation in organic cereal fields, 824
White, P.C.L. *see* **Vaughan, N.**
Wilcox, C. & Elderd, B. The effect of density-dependent catastrophes on population persistence time, 859
Willis, A.J., Berentson, P.R. & Ash, J.E. Impacts of a weed biocontrol agent on recovery from water stress in a target and a non-target *Hypericum* species, 320
Wilson, D. *see* **Moss, B.**
Wilson, G.J., Frantz, A.C., Pope, L.C., Roper, T.J., Burke, T.A., Cheeseman, C.L. & Delahay, R.J. Estimation of badger abundance using faecal DNA typing, 658
Woiwod, I.P. *see* **Firbank, L.G.**
Wright, G. *see* **Gremillet, D.**

Yates, M.G. *see* **Stillman, R.A.**

FORUM PAPER

Martínez-Garza, C. & Howe, H.F. Restoring tropical diversity: beating the time tax on species loss, 423

© 2003 British Ecological Society,